

STUDIES:

IMMUNOLOGY INFLAMMATION

- 1) Increase in intranuclear nuclear factor kappaB and decrease in inhibitor kappaB in mononuclear cells after a mixed meal: evidence for a proinflammatory effect. Aljada A, Mohanty P, Ghanim H, Abdo T, Tripathy D, Chaudhuri A, Dandona P. Am J Clin Nutr. 2004 Apr;79(4):682-90.
- 2) Mouse and human neutrophils induce anaphylaxis. Jönsson F, Mancardi DA, Kita Y, Karasuyama H, Iannascoli B, Van Rooijen N, Shimizu T, Daeron M, Bruhns P. J Clin Invest. (2011) Apr 1;121(4):1484-96.
- 3) IgG subclasses and allotypes: from structure to effector functions. GesturVidarsson, Gillian Dekkers and Theo Rispens. Frontiers in Immunology October 2014 | Volume 5 | Article 520 | 1.
- 4) Testing for IgG4 against foods is not recommended as a diagnostic tool: EAACI Task Force Report. Steven O. Stapel , R. Asero , B. K. Ballmer-Weber 3 , E. F. Knol , S. Strobel , S. Vieths , J. Kleine-Tebbe Allergy (2008) 63:793–796.
- 5) Inhibition of complement activation by IgG4 antibodies. Van der Zee JS, van Swieten P, Aalberse RC. Clin. Exp. Immunol. (1986) May: 64 (2):415-22.
- 6) Immunoglobulin G4: an odd antibody. Aalberse RC, Stapel SO, Schuurman J, Rispens T. Clin Exp Allergy, (2009) 39 (4):469-77.
- 7) Independent audit of IgG food intolerance tested patient survey. Sheldon TA. British Allergy Foundation, 2000.
- 8) Inflammation and metabolic disorders. Hotamisligil G. S. Nature, (2006), 444, 860-867.
- 9) Food Allergy: Adverse Reactions to Foods and Food Additives. 4th edition page18 Edited by Dean D. Metcalfe, Hugh A. Sampson, and Ronald A. Simon c 2008 Blackwell Publishing, ISBN: 978-1-405-15129-0.
- 10) Gliadin IgG antibodies and circulating immune complexes. Eisenmann A1, Murr C, Fuchs D, Ledochowski M.Scand J Gastroenterol. 2009; 44(2):168-71.



STUDIES:

IBS

- 11) Food elimination based on IgG antibodies in irritable bowel syndrome: a randomised controlled trial. Atkinson W, Sheldon TA, Shaath N, Whorwell PJ. Gut. 2004 Oct, 53(10):1459-64.
- 12) Food allergy in irritable bowel syndrome: The case of non-celiac wheat sensitivity. Mansueto P, D'Alcamo A, Seidita A, Carroccio A. World J Gastroenterol. 2015 Jun 21; 21(23):7089-109.
- 13) Treating irritable bowel syndrome with a food elimination diet followed by food challenge and probiotics. Drisko J., Bischoff B., Hall M., McCullum. J of the Am college of Nutrition 2006. Vol 25 (6) 514-522.
- 14) Milk protein IgG and IgA : the association with milk-induced gastrointestinal symptoms in adults. Anthoni S, Savilahti E, Rautelin H, Kolho KL. World J. (2009) Gastroenterol. Oct 21 ; 15 (39) 4915-8.
- 15) Serological Investigation of Food Specific Immunoglobulin G Antibodies in Patients with Inflammatory Bowel Diseases. Chenwen Cai, Jun Shen, Di Zhao, Yuqi Qiao, Antao Xu, Shuang Jin, Zhihua Ran, and Qing Zheng. PLoS One. 2014 Nov 13; 9(11).
- 16) The value of eliminating foods according to food-specific immunoglobulin G antibodies in irritable bowel syndrome with diarrhea. Hong Guo, Tao Jiang, Jinliang Wang, Yongchao Chang, Hai Guo, Weihong Zhang. J. Int. Med. Res. 2012; 40 (1):204-10.
- 17) Alterations of food antigen-specific serum immunoglobulins G and E antibodies in patients with irritable bowel syndrome and functional dyspepsia. Zuo X. L., Li Y. Q., Li W. J., Guo Y. T., Lu X. F., Li J. M. and P. V. Desmond. Clinical and Experimental Allergy 2007, 37, 823–830.
- 18) Immune Activation in patients with irritable bowel syndrome. Liebrechts T, Adam B, Bredack C, Röth A, Heinzel S, Lester S, Downie-Doyle S, Smith E, Drew P, Talley NJ, Holtmann G. Gastroenterology. 2007 Mar; 132(3):913-20. Epub 2007 Jan 26.
- 19) Food allergy in irritable bowel syndrome: new facts and old fallacies. Isolauri E., Rautava S., Kalliomaki M. Gut 2004; 53 (10):1391-3.
- 20) IgG-based elimination diet in Migraine plus irritable bowel syndrome. Elif Ilgaz Aydinlar et al. Headache 2012.



STUDIES:

MIGRAINE

- 21) Diet restriction in migraine, based on IgG against foods: a clinical double-blind, randomised, crossover trial. Alpay K, Ertas M, Orhan EK, Ustay DK, Lieners C and Baykan B. (2010) Cephalgia 1-9.
- 22) IgG-mediated allergy: a new mechanism for migraine attacks? Pascual J, Oterino A. Cephalalgia. 2010 Jul;30(7):777-9. doi: 10.1177/0333102410364856. Epub 2010 Mar 26.
- 23) Randomised controlled trial of food elimination diet based on IgG antibodies for the prevention of migraine like headaches. Natasha Mitchell et al, Nutrition Journal 2011.
- 24) A prospective Audit of food intolerance among migraine patients in primary care clinical practice. Trevor Rees, David Watson, Susan Lipscombe, Helen Speight, Peter Cousins, Geoffrey Hardman, Andrew Dowson. (2005) Headache, Vol 2 No.1 11-14.
- 25) Food allergy mediated by IgG antibodies associated with migraine in adults. Arroyave Hernandez CM, Echevarria Pinto M, Hernandez Montiel HL. Rev Alerg Mex (2007); 54: 162–168.
- 26) IgG-based elimination diet in Migraine plus irritable bowel syndrome. Elif Ilgaz Aydinlar et al. Headache 2012.

AUTOIMMUNITY

- 27) Molecular mimicry as a mechanism for food immune reactivities and autoimmunity. Vojdani A . Altern Ther Health Med. 2015;21 Suppl 1:34-45.
- 28) Cross-Reaction between Gliadin and Different Food and Tissue Antigens. Aristo Vojdani^{1,2*}, Igal Tarash¹ Food and Nutrition Sciences, 2013, 4, 20-32.
- 29) Anti-Saccharomyces cerevisiae autoantibodies in autoimmune diseases: from bread baking to autoimmunity. Rinaldi M¹, Perricone R, Blank M, Perricone C, Shoenfeld Y. Clin Rev Allergy Immunol. 2013 Oct;45(2):152-61.
- 30) Gastrointestinal disease in Sjogren's syndrome: related to food hypersensitivities. Kim-Lee C, Suresh L, Ambrus JL Jr. Springerplus. 2015 Dec 12;4:766.



STUDIES:

AUTOIMMUNITY

- 31) Lectins, agglutinins, and their roles in autoimmune reactivities.. Vojdani A. *Altern Ther Health Med*. 2015; 21 Suppl 1:46-51.
- 32) The gut–joint axis: cross reactive food antibodies in rheumatoid arthritis. M Hvatum†, L Kanerud, R Hällgren, and P Brandtzaeg, *Gut*. 2006 Sep; 55(9): 1240–1247.
- 33) The pathogenesis of rheumatoid arthritis is associated with milk or egg allergy..Li J, Yan H, Chen H, Ji Q, Huang S, Yang P, Liu Z, Yang B. *North Am J Med Sci* 2016;8:40-6.
- 34) Correlation of Tissue Antibodies and Food Immune Reactivity in Randomly Selected Patient Specimens. J Lambert J, Vojdani A (2017) *Clin Cell Immunol* 8: 521. Doi: 10.4172/2155-9899.1000521.

CROHN'S DISEASE

- 35) Higher titers of anti-Saccharomyces cerevisiae antibodies IgA and IgG are associated with more aggressive phenotypes in Romanian patients with Crohn's disease. Gologan S1, Iacob R, Preda C, Vadan R, Cotruta B, Catuneanu AM, Iacob S, Constantinescu I, Gheorghe L, Iobagiu S, Gheorghe C, Diculescu M. *J Gastrointest Liver Dis*. 2012 Mar;21(1):39-44.
- 36) The effects of provocation by foods with raised IgG antibodies and additives on the course of Crohn's disease: A pilot study. Hulya Uzunismail et al. *Turk J Gastroenterol* 2012; 23 (1): 19-27.
- 37) Clinical relevance of IgG antibodies against food antigen in Crohn's Disease – A double blind cross over diet intervention study. S. Bentz, M. Hausmann, S. Paul, W. Falk, F. Obermeier, J. Scholmerich, G. Rogler *Digestion* (2010);81:252–264.



STUDIES:

BRAIN-PSYCHOSIS

- 46) Subunit and whole molecule specificity of the anti-bovine casein immune response in recent onset psychosis and schizophrenia. Severance EG, Dickerson FB, Halling M, Krivogorsky B, Haile L, Yang S, Stallings CR, Origoni AE, Bossis I, Xiao J, Dupont D, Haasnoot W, Yolken RH. *Schizophr Res.* 2010 May;118(1-3):240-7.
- 47) Association between bovine casein antibody and new onset schizophrenia among US military personnel. Niebur DW, Li Y, Cowan DN, Weber NS, Fisher JA, Ford GM, Yolken R. (2011) *Schizophr.Res.* Mar2. (Epub ahead of print.
- 48) Complement C1q formation of immune complexes with milk caseins and wheat glutes in Schizophrenia. Emily G. Severancea, Kristin Gressitta, Meredith Hallinga, Cassie R. Stallingsb, Andrea E. Origionib, Crystal Vaughanb, Sunil Khushalanib, Armin Alaedinic, Didier Dupontd, Faith B. Dickersonb, and Robert H. Yolken Neurobiol Dis. 2012 December ; 48(3): 447–453.
- 49) Dietary antigens, epitope recognition, and immune complex formation in recent onset psychosis and long-term schizophrenia. Severance EG1, Lin J, Sampson HA, Gimenez G, Dickerson FB, Halling M, Gressitt K, Haile L, Stallings CR, Origoni AE, Dupont D, Yolken RH. *Schizophr Res.* 2011 Mar;126(1-3): 43-50.
- 50) Seroreactive marker for inflammatory bowel disease and associations with antibodies to dietary proteins in bipolar disorder. Emily G. Severancea, Kristin L. Gressitta, Shuojia Yanga, Cassie R. Stallingsb, Andrea E. Origionib, Crystal Vaughanb, Sunil Khushalanib, Armin Alaedinic, Faith B. Dickersonb, and Robert H. Yolken Bipolar Disord. 2014 May ; 16(3): 230–240.
- 51) Gastrointestinal inflammation and associated immune activation in schizophrenia. Emily G. Severancea, Armin Alaedinib, Shuojia Yanga, Meredith Hallinga, Kristin L. Gressitta, Cassie R. Stallingsc, Andrea E. Origionic, Crystal Vaughanc, Sunil Khushalanid, F. Markus Leweked,e, Faith B. Dickersonc, and Robert H. Yolken Schizophr Res. 2012 June ; 138(1): 48–53.
- 52) Breaking down the barriers: the gut microbiome, intestinal permeability and stress-related psychiatric disorders. John R. Kelly, Paul J., John F. Cryan, Timothy G. Dinan, Gerard Clarke, Niall P. Hyland *Front. Cell. Neurosci.*, 14 October 2015 |
- 53) Gut Uptake, Brain and Behaviour Tveiten D. Bioeng1 and K. L. Reichelt *Journal of Scientific Research & Reports* 3(22): 2834-2847, 2014;



STUDIES:

EXCEMA

- 54) Circulating immunoglobulins, leucocytes and complements in childhood-onset atopic eczema. Hon KL1, Wang SS, Pong NH, Leung TF. Indian J Pediatr. 2013 Feb;80(2):128-31.

OBESITY

- 55) Baker's yeast (*Saccharomyces cerevisiae*) antigen in obese and normal weight subjects. Salamati S1, Martins C, Kulseng B. Clin Obes. 2015 Feb;5(1):42-7.
- 56) IgG Receptor Fc R11B Plays a Key Role in Obesity-Induced Hypertension. Nathan C. Sundgren, Wanpen Vongpatanasin, Brigid-Meghan D. Boggan, Keiji Tanigaki, Ivan S. Yuhanna, Ken L. Chambliss, Chieko Mineo, and Philip W. Shaul Hypertension. 2015 February ; 65(2): 456-462.
- 57) Antibodies against food antigens are correlated with inflammation and intima media thickness in obese juveniles. Wilders-Truschnig M, Mangge H, Lieners C, Gruber HJ, Mayer C and Marz W. IgG.(2007). Exp Clin Endocrinol Diabetes.
- 58) Increase adipose tissue expression of tumor necrosis factor-alpha in human obesity and insulin resistance. Hotamisligil G. S., Arner P., Caro J. F., Atkinson R. L., Spiegelman B. M.. J Clin Invest (1995); 95: 2409-2415.
- 59) Adipose expression of tumor necrosis factor- direct role in obesity-linked insulin resistance. Hotamisligil G. S., Shargill N. S., Spiegelman B. M.. Science (1993); 259: 87-91.

AUTISM

- 60) Food allergy investigations and its significance in autism spectrum disorders. Anath N Rao, Minakshi Koch, Sabyasachi Ghosh and Suresh Kumar V. International Journal of Pharma and Bio Sciences Vol.1/Issue-4/ Oct-Dec.2010.
- 61) Antibodies against Food Antigens in Patients with Autistic Spectrum Disorders. Laura de Magistris, Annarita Picardi, Dario Siniscalco, Maria Pia Riccio, Anna Sapone, Rita Cariello, Salvatore Abbadessa, Nicola Medici, Karen M. Lammers, Chiara Schiraldi, Patrizia Iardino, Rosa Marotta, Carlo Tolone, Alessio Fasano, Antonio Pascotto, and Carmela Bravaccio BioMed Research International Volume 2013, Article ID 729349, 11 pages.

